



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

EU DECLARATION OF CONFORMITY No. 2A-EU-14/21-12

In accordance with EU directive 2014/35/EU as amended

We, KOPOS KOLÍN a. s.
Havlíčková 432
280 02 Kolín
Czech Republic
IČ: 61672971
DIČ: CZ61672971

declare under our sole responsibility that

the product/type: **Wiring trunkings and accessories**

manufacturer: **KOPOS KOLÍN a.s. Havlíčková 432, Kolín IV, 280 02 Kolín, Czech Republic**

object of the declaration: Wiring trunkings are used for installing small distribution and low voltage.
Wiring trunkings are delivered in lengths of 2 and 3 meters with +, - 0,5% tolerance.
Material: PVC
Temperature resistance: storage: -15°C to +60°C
Temperature resistance: assembly: -5°C to +60°C
Resistance to spread of flame: non-flame
Hot loop test 850°C for moldings, window sill ducts and accessories

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation, other legislation and regulations:

Regulations Of the European Union	Government Regulations	Standards	Certificates and Test Reports	Other technical specification
2014/35/EU - LVD	Law No. 90/2016 Coll. as amended	ČSN EN 50085- 1 ed. 2:06+A1:14 čl. 11.2.4 including amendments (EN 50085-1:05 including amendments)	Test report No. 212288-01/01 of 20.10.2021 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LV 24x22 LP 35 PK 16x65D
	Government Regulation No. 118/2016 Coll. as amended	ČSN EN 50085- 1 ed. 2:06 including amendments (EN 50085-1:05 including amendments) ČSN EN 50085-2-1:07 including amendments (EN 50085-2-1:06 including amendments)	Test report No.211507-01/01 of 30.7.2021 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LO 35 LO 50 LO 75 Test according to EN 50085-1 ed. 2 Article 11.2.4 Test according to EN 50085-1 ed. 2 art.6.102.1-500N for LO 50 and LO 75 according to 6.102.3-1000N for LO 35 According to art.6.103.1-2000N for LO35, LO50, LO75. According to Article

				14.1-IP 40 for LO35, LO 50, LO75. Note 1)
		ČSN EN 50085- 1 ed. 2:06+A1:14 čl. 11.2.4 including amendments (EN 50085-1:05 including amendments)	Test report No. 021981-01/01 of 14.9.2020 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LV 11x10, EKD 100x40, LE 100, LP 80x25, PK 140x70 D, LZ 15x12, LH 60x40, LHD 20x20, LO 35. EKE 60x60- Test according EN 50085-1 ed. 2 article.11.2.4
		ČSN EN 50085- 1 ed. 2:06 including amendments (EN 50085-1:05 including amendments) ČSN EN 50085-2-1:07 including amendments (EN 50085-2-1:06 including amendments)	Test Report No. 911224-01/01 of 28.8.2019 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LHD 17x17, PK 110x70
		ČSN EN 50085- 1 ed. 2:06 including amendments (EN 50085-1:05 including amendments) ČSN EN 50085-2-1:07 including amendments (EN 50085-2-1:06 including amendments)	Test Report No. 801481-01/01 of 13.6.2018 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika Test Report No. 605023-01/01 of 29.12.2016 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	Testing of ESC branded products – LH 60x40 HD Note 2)
		ČSN EN 50085-1 ed.2:06, ČSN EN 50085-2-1:07+A1:12 čl. 10.3.2.101	Test Report No. 404506-01/01 of 16.1.2015 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LHD 40x40 Note 3)

		ČSN EN 50085-1 ed.2:06, ČSN EN 50085-2-1:07+A1:12, IEC 61084-1:91+A1:99, IEC61084-2-1:96	Test Report No. 305645-01/01 of 18.12.2013 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LV, LZ, LZK, LHD, LH, LE, EK, EKE, EKD, PK, LO, LP, LPK, LR,L Note 4)
		ČSN EN 50085-1:97, ČSN EN 50085-1:06ed.2, ČSN EN 50085-2-1:97, ČSN EN 50085-2-1:07	Test Report No. 900709-01/03 of 1.4.2009 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	EKD 80x40, EKD 100x40, EKD120x40 Note 5)
		ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96	Test Report No. 800448-01/01B of 26.3.2008 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LZ 15x12 Note 6)
		ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96	Test Report No. 800448-01/01D of 26.3.2008 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LE100 Note 7)
		ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96	Test Report No. 800448-01/01E of 26.3.2008 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	EK 100x40 Note 8)

	ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96	Test Report No. 800448-01/01F of 26.3.2008 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	PK 140x70 Note 9)
	ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96	Test Report No. 800448-01/01G of 26.3.2008 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	LP 80x25 Note 10)
	ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96	Test Report No. 800448-01/01H of 26.3.2008 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	L20, L40, L70 Note11)
	ČSN EN 60529:93+A1:01+A2:14 including amendments	Test Report No. 701828-01/02 of 19.7.2017 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	Test IP40: LZ 15x12 LZK 15x12 LHD 50x20/1 LHD 50x20/2 LE 40 LE 60 LE 80 LE 100 EKE 100x60 EKE 140x60 EKD 80x40 EKD 120x40 PK 110x65 D LO 35 LO 50 LO 75 LP 35 LPK 80x25 LR 30 L 40 L 70 IP 40 covers these types of moldings and channels (see above) made of PC+ABS based on the same product design

	ČSN EN 1127-1:2012 including amendments ČSN CLC/TR 60079-32-1:2016 including amendments	Certificate No. FTZÚ 06 Ex 0043 of 14.9.2016 Issued by: Fyzikálně technický zkušební ústav, Ostrava-Radvanice, státní podnik, Pikartská 7, 716 07 Ostrava Radvanice	For series: LV, LH, LZ, LE, LP, LR, LO, EK, PK, LPK, LZK, LHD, EKE
	ČSN EN 50085-1 ed.2:06 čl. 10.3.2 including amendments ČSN EN ISO 4892-2	Test Report No. 301741-01/02 of 31.5.2013 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika Test Report - Accelerated ageing of 2.3.2010 Issued by: POLYMER INSTITUTE BRNO, s.r.o. Speciální materiály/Materiálový výzkum Tkalcovská 36/2, 656 49 BRNO	Trunking PVC – Test of impact before and after accelerated ageing with UV and IR light UV stability – Trunking PVC
	ČSN EN 62262:97	Test Report No. 501073-01/03 of 29.4.2015 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	IK 06 LV 40x15
	ČSN EN 62262:97	Test Report No. 501073-01/01 of 31.3.2015 Issued by: Elektrotechnický zkušební ústav, Pod Lisem 129, 171 02 Praha 71, Česká republika	IK CODE: LHD 20X20 – IK 06 LO 35 HA – IK 07 PK 90x55 D – IK 07
	ČSN CISPR 17:2000, čl. 4.1,A.1.3,A.1.4	Test Report No. P/07/01/15 of 22.5.2007 Issued by: ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald	Clamp PEP 60/K

	ČSN IEC 69-1+A2:1997 ČSN EN 61000-4-4:1997 ČSN EN 61000-4-5:1997	Test Report No. P/99/01/22 of 26.11.1999 Issued by: ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald	Set PK 140x70 with screening cover
	ČSN 74 7010-82:1997, čl. 3.7 ČSN IEC 816:1994, čl. 5.5.1.2, 6.1	Test Report No. P/03/01/26 of 8.8.2003 Issued by: ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald	Cable trunking PK../., EKE../., EK../., with screening cover SK 40x20, 40x33
	ČSN EN 50085-1, ČSN EN 60695-2-11, ČSN EN 60695-2-4/1	Test Report No. 035/2021 of 2.8.2021	Window sill channel PK 90x55D- innovation
	ČSN EN 50085-1, ČSN EN 50085-2-2, ČSN EN 60695-2-11	Test report No. 042/2021 of 26.8.2021	LO 50 LD
	ČSN EN 50085-1, ČSN EN 50085-2-2, ČSN EN 60695-2-11	Test report No. 041/2021 of 27.8.2021	LO 50 HD
	ČSN EN 50085-1	Test report No. 38/2021 of 15.7.2021	Tested strips, ducts and accessories made of PVC-compliant 850 ° C hot loop

		ČSN EN 50085-1, ČSN EN 60529	Test report No. 36b/2021 of 25.7.2021	PVC rails, ducts and accessories - test with IP protection, see in detail. Annex to this statement
		ČSN EN 50085-1, ČSN EN 60695-2-11, ČSN EN 60695-2-4/1	Test Report No. 051/2021 of 29.9.2021	LHD 40x40, bar tested for mechanical properties - impact test, external influences - IP test
1907/2006 - REACH				Safety and material data sheets of used materials

By fulfilling the conditions in accordance with these regulations was placed on the product CE marking.

Conformity assessment module: **MODUL A: Internal production control**

Technical documentation of products:

- assembly instructions
- Datasheet
- Catalog for products freely available on <http://www.kopos.cz/cs/katalogy>
- Internal documents

KOPOS KOLÍN a.s. company is certificated according to the standard ISO 9001:2015, ISO 14001:2015 and ISO 50001:2018 and according to the National program „Safety Enterprise“.

Signed for KOPOS KOLÍN a.s.

Place of issue: Kolín, Czech Republic

Date of issue: 16.12.2021



Ing. Jana Dejmková

Management representative for QMS

KOPOS KOLÍN a.s. 
Havlíčková 432, 280 02 Kolín
IČ: 616 72 971 DIČ: CZ61672971
tel: 321 730 111 www.kopos.cz



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

Enclosure No. 1 to EU Conformity Declaration No. 2A-EU-14/21-12

Trunkings and accessories

Name	Type	Covering grade	Impact strength	Accessories - name	Type
Cable trunking	LV 11x10	IP 20	0,5J ⁴⁾		
Cable trunking	LV 18x13	IP 40	0,5J ⁴⁾	end	8731
				connecting	8732
				bending	8733
				branching	8734
				internalcorner	8735
				externalcorner	8736
				bending radius	8733 R
				branching radius	8734 R
				internalcorner radius	8735 R
				externalcorner radius	8736 R
				trough	8737
					8738
					8739
				troughelevated	8737Z
					8738Z
					8739Z
Cable trunking	LV 24x22	IP 40	0,5J ⁴⁾	end	8791
				connecting	8792
				bending	8793
				branching	8794
				internalcorner	8795
				externalcorner	8796
				bending radius	8793R
				branching radius	8794R
				internalcorner radius	8795R
				externalcorner radius	8796R
				trough	8797
					8798
					8799
				troughelevated	8797Z
					8798Z
					8799Z
Cable trunking	LV 40x15	IP 40	0,5J ⁴⁾	end	8711
				connecting	8714
				bending	8716
				branching	8715
				internalcorner	8713/2



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

				externalcorner	8712/2
				bending radius	8716R
				branching radius	8715R
				internalcorner radius	8713/2R
				externalcorner radius	8712/2R
				spacer	RLV 40x15
					RLV 40x16
				trough	8719
					8717
					8718
				troughelevated	8719Z
					8717Z
					8718Z
Cable trunking	LV 40x40	IP 40	0,5J ⁴⁾	end	8721
				connecting	8722
				bending	8723
				branching	8724
				internalcorner	8725
				externalcorner	8726
				bending radius	8723R
				branching radius	8724R
				internalcorner radius	8725R
				externalcorner radius	8726R
				trough	8727
					8728
					8729
				troughelevated	8727Z
					8728Z
					8729Z
				spacer	RLV 40x40
Cable trunking	LV 60x40	IP 40	0,5J ⁴⁾	end	8741
				connecting	8742
				bending	8743
				branching	8744
				internalcorner	8745
				externalcorner	8746
				bending radius	8743R
				branching radius	8744R
				internalcorner radius	8745R
				externalcorner radius	8746R
				trough	8747
					8748
					8749
				troughelevated	8747Z
					8748Z
					8749Z
				spacer	RLV 60x40
Cable trunking	LZ 15x12	IP 40	1J ⁶⁾	end	8811
				connecting	8812



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

				bending	8813
				branching	8814
				internalcorner	8815
				externalcorner	8816
				bending radius	8813R
				branching radius	8814R
				internalcorner radius	8815R
				externalcorner radius	8816R
				trough	8817
					8818
					8819
				troughelevated	8817Z
					8818Z
					8819Z
Cable trunking	LZK 15x12	IP 40	1J ⁶⁾	end	8801
				connecting	8802
				bending	8803
				branching	8804
				internalcorner	8805
				externalcorner	8806
				bending radius	8803R
				branching radius	8804R
				internalcorner radius	8805R
				externalcorner radius	8806R
				trough	8807
					8808
					8809
				troughelevated	8807Z
					8808Z
					8809Z
Cable trunking	LHD 17x15	IP 40	0,5J ³⁾	end	8941
				connecting	8942
				bending	8943
				branching	8944
				internalcorner	8945
				externalcorner	8946
				bending radius	8943R
				branching radius	8944R
				internalcorner radius	8945R
				externalcorner radius	8946R
				trough	8947
					8948
					8949
				troughelevated	8947Z
					8948Z
					8949Z
Cable trunking	LHD 17x17	IP 40	0,5J ³⁾	end	8671
				connecting	8672
				bending	8673



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

branching	8674
internalcorner	8675
externalcorner	8676
bending radius	8673R
branching radius	8674R
internalcorner radius	8675R
externalcorner radius	8676R
trough	8677
	8678
	8679
trough elevated	8677Z
	8678Z
	8679Z

Cable trunking	LHD 20x10	IP 40	0,5J ³⁾	end	8921
				connecting	8922
				bending	8923
				branching	8924
				internalcorner	8925
				externalcorner	8926
				bending radius	8923R
				branching radius	8924R
				internalcorner radius	8925R
				externalcorner radius	8926R
				trough	8927
					8928
					8929
				trough elevated	8927Z
					8928Z
					8929Z

Cable trunking	LHD 20x20 LH 20x20	IP 40 IP 40	0,5J ³⁾ 0,5J ²⁾	end	8621
				connecting	8622
				bending	8623
				branching	8624
				internalcorner	8625
				externalcorner	8626
				bending radius	8623R
				branching radius	8624R
				internalcorner radius	8625R
				externalcorner radius	8626R
				trough	8627
					8628
					8629
				trough elevated	8627Z
					8628Z
					8629Z

Cable trunking	LHD 25x15	IP 40	0,5J ³⁾	end	8691
				connecting	8692
				bending	8693



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

				branching	8694
				internalcorner	8695
				externalcorner	8696
				bending radius	8693R
				branching radius	8694R
				internalcorner radius	8695R
				externalcorner radius	8696R
				trough	8697
					8698
					8699
				troughelevated	8697Z
					8698Z
					8699Z
Cable trunking	LHD 25x20	IP 40	0,5J ³⁾	end	8911
				connecting	8912
				bending	8913
				branching	8914
				internalcorner	8915
				externalcorner	8916
				bending radius	8913R
				branching radius	8914R
				internalcorner radius	8915R
				externalcorner radius	8916R
				trough	8917
					8918
					8919
				troughelevated	8917Z
					8918Z
					8919Z
Cable trunking	LHD 30x25	IP 40	0,5J ³⁾	end	8931
				connecting	8932
				bending	8933
				branching	8934
				internalcorner	8935
				externalcorner	8936
				bending radius	8933R
				branching radius	8934R
				internalcorner radius	8935R
				externalcorner radius	8936R
				trough	8937
					8938
					8939
				troughelevated	8937Z
					8938Z
					8939Z
Cable trunking	LHD 32x15	IP 40	0,5J ³⁾	end	8601
				connecting	8602
				bending	8603
				branching	8604



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

				internalcorner	8605
				externalcorner	8606
				bending radius	8603R
				branching radius	8604R
				internalcorner radius	8605R
				externalcorner radius	8606R
				trough	8607
					8608
					8609
				troughelevated	8607Z
					8608Z
					8609Z
Cable trunking	LH 15x10	IP 40	0,5J ²⁾	end	8681
				connecting	8682
				bending	8683
				branching	8684
				internalcorner	8685
				externalcorner	8686
				bending radius	8683R
				branching radius	8684R
				internalcorner radius	8685R
				externalcorner radius	8686R
				trough	8687
					8688
					8689
				troughelevated	8687Z
					8688Z
					8689Z
Cable trunking	LH 40x20 LHD 40x20	IP 40 IP 40	0,5J ²⁾ 0,5J ³⁾	end	8631
				connecting	8632
				bending	8633
				branching	8634
				internalcorner	8635
				externalcorner	8636
				bending radius	8633R
				branching radius	8634R
				internalcorner radius	8635R
				externalcorner radius	8636R
				trough	8637
					8638
					8639
				troughelevated	8637Z
					8638Z
					8639Z
Cable trunking	LH 40x40 LHD 40x40	IP 40 IP 40	0,5J ²⁾ 0,5J ³⁾	end	8641
				connecting	8642
				bending	8643
				branching	8644
				internalcorner	8645

				externalcorner	8646
				bending radius	8643R
				branching radius	8644R
				internalcorner radius	8645R
				externalcorner radius	8646R
				trough	8647
					8648
					8649
				troughelevated	8647Z
					8648Z
					8649Z
Cable trunking	LHD 50x20	IP 40	0,5J ³⁾	end	8991
				connecting	8992
				bending	8993
				branching	8994
				internalcorner	8995
				externalcorner	8996
				trough	8999
Cable trunking	LHD 50x20/1	IP 40	0,5J ³⁾	end	8991
				connecting	8992
				bending	8993
				branching	8994
				internalcorner	8995
				externalcorner	8996
				trough	8999
Cable trunking	LHD 50x20/2	IP 40	0,5J ³⁾	end	8991
				connecting	8992
				bending	8993
				branching	8994
				internalcorner	8995
				externalcorner	8996
				trough	8999
Cable trunking	LH 60x40	IP 40	0,5J ²⁾	end	8651
				connecting	8652
				bending	8653
				branching	8654
				internalcorner	8655
				externalcorner	8656
				bending radius	8653R
				branching radius	8654R
				internalcorner radius	8655R
				externalcorner radius	8656R
				trough	8657
					8658
					8659
				troughelevated	8657Z
					8658Z



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

				spacer partition walls	8659Z RLH 60x40 PEK 40
Cable trunking	LH 80x40 P LH 80x40	IP 40 IP 40	0,5J ²⁾ 0,5J ²⁾	end	8661
				connecting	8662
				bending	8663
				branching	8664
				internalcorner	8665
				externalcorner	8666
				bending radius	8663R
				branching radius	8664R
				internalcorner radius	8665R
				externalcorner radius	8666R
				trough	8667
					8668
					8669
				troughelevated	8667Z
					8668Z
					8669Z
				spacer partition walls	RLH 80x40 PEK 40
Cable trunking Elegant	LE 40	IP 40	1J ⁷⁾	end	8751
				connecting	8752
				bending	8753
				branching	8754
				internalcorner	8755
				externalcorner	8756
				bending radius	8753R
				branching radius	8754R
				internalcorner radius	8755R
				externalcorner radius	8756R
				trough	8757
					8758
					8759
				troughelevated	8757Z
					8758Z
					8759Z
				spacer blind	RLE 40 ZPNE 40 ZPNE 40x20 PNEV 40x202Z
Cable trunking Elegant	LE 60	IP 40	1J ⁷⁾	end	8761
				connecting	8762
				bending	8763
				branching	8764



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

Cable trunking
Elegant

LE 80

IP 40

1J⁷⁾

internalcorner	8765
externalcorner	8766
bending radius	8763R
branching radius	8764R
internalcorner radius	8765R
externalcorner radius	8766R
trough	8767
	8768
	8769
troughelevated	8767Z
	8768Z
	8769Z
branching transition	8767/40
spacer	RLE 60
blind	ZPNE60
	ZPNE60x20

end	8771
connecting	8772
bending	8773
branching	8774
internalcorner	8775
externalcorner	8776
bending radius	8773R
branching radius	8774R
internalcorner radius	8775R
externalcorner radius	8776R
trough	8777
	8778
	8779
troughelevated	8777Z
	8778Z
	8779Z
branching transition	8777/60
	8777/40
spacer	RLE 80
blind	ZPNE80
	ZPNE80x20

Cable trunking
Elegant

LE 100

IP 40

1J⁷⁾

end	8781
connecting	8782
bending	8783
branching	8784
internalcorner	8785
externalcorner	8786
bending radius	8783R
branching radius	8784R
internalcorner radius	8785R
externalcorner radius	8786R
trough	8787
	8788



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

				trough	8789
				elevated	8787Z
					8788Z
					8789Z
				branching transition	8787/80
					8787/60
					8787/40
				spacer	RLE 100
				blind	ZPNE100
					ZPNE100x20
Cable trunking	EK 100x40	IP 40	2J ⁸⁾	end	8521
				connecting	8522
				bending	8523
				branching	8524, 8524/5
				internal corner	8525
				external corner	8526
				bending radius	8523R
				branching radius	8524R
				internal corner radius	8525R
				external corner radius	8526R
				trough	8527
					8528
					8529
				trough	8527Z
				elevated	8528Z
					8529Z
				spacer	REK 100x40
				partition walls	PEK 40
Cable trunking	EK 120x40	IP 40	2J ⁸⁾	end	8531
				connecting	8532
				bending	8533
				branching	8534
				internal corner	8535
				external corner	8536
				bending radius	8533R
				branching radius	8534R
				internal corner radius	8535R
				external corner radius	8536R
				trough	8537
					8538
					8539
				trough	8537Z
				elevated	8538Z
					8539Z
				spacer	REK 120x40
				partition walls	PEK 40
Cable trunking Elegant	EKE 60x60	IP 20	2J ⁸⁾	end	8541
				connecting	8542
				bending	8543



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

					branching	8544
					internalcorner	8545
					externalcorner	8546
					trough	8547
						8548
						8549
					troughelevated	8547Z
						8548Z
						8549Z
					partition walls	PEKE 60
						PEK 60
Cable trunking Elegant	EKE 100x60	IP 20	2J ⁸⁾		end	8551
					connecting	8552
					bending	8553
					branching	8554
					internalcorner	8555
					externalcorner	8556
					trough	8557
						8558
						8559
					troughelevated	8557Z
						8558Z
						8559Z
					cover apparatus single	8550-11
					cover apparatus duble	8550-12
					cover apparatus trile	8550-13
					spacer	REKE 100
Cable trunking Elegant	EKE 140x60	IP 20	2J ⁸⁾		end	8561
					connecting	8562
					bending	8563
					branching	8564
					internalcorner	8565
					externalcorner	8566
					trough	8567
						8568
						8569
					troughelevated	8567Z
						8568Z
						8569Z
					cover apparatus single	8560-11
					cover apparatus duble	8560-12
					cover apparatus trile	8560-13
						8560-11/1
						8560-12/1
						8560-13/1
					spacer	REKE 140
Cable trunking Elegant	EKE 180x60	IP 20	2J ⁸⁾	end		
						8571



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

connecting	8572
bending	8573
branching	8574
internalcorner	8575
externalcorner	8576
trough	8577
	8578
	8579
troughelevated	8577Z
	8578Z
	8579Z
spacer	REKE 180
cover apparatus single	8570-11
cover apparatus duble	8570-12
cover apparatus trile	8570-13
	8570-11/1
	8570-12/1
	8570-13/1
spacer	REKE 60

Cable trunking	EKD 80x40	IP 40	0,5J ⁵⁾	end	8501
				connecting	8502
				bending	8503
				branching	8504
				branching	8504/EKD
				internalcorner	8505
				externalcorner	8506
				bending radius	8503R
				branching radius	8504R
				internalcorner radius	8505R
				externalcorner radius	8506R
				spacer	REKO 80x40
				partition walls	PEKD 40

Cable trunking	EKD 100x40	IP 40	0,5J ⁵⁾	end	8511
				connecting	8512
				bending	8513
				branching	8514
				branching	8514/EKD
				internalcorner	8515
				externalcorner	8516
				bending radius	8513R
				branching radius	8514R
				internalcorner radius	8515R
				externalcorner radius	8516R
				spacer	REKO 100x40
				partition walls	PEKD 40

Cable trunking	EKD 120x40	IP 40	0,5J ⁵⁾	end	8581
----------------	------------	-------	--------------------	-----	------



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

				connecting	8582
				bending	8583
				branching	8584
				branching	8584/EKD
				internalcorner	8585
				externalcorner	8586
				bending radius	8583R
				branching radius	8584R
				internalcorner radius	8585R
				externalcorner radius	8586R
				spacer	REKO 120x40
				partition walls	PEKD 40
Cable trunking	PK 110x70	IP 40	1J ⁹⁾		
				end	8421
				connecting	8422K
					8422V
				bending	8423
					8423K
				branching	8424
					8423KT
				internalcorner	8425
					8425K
				externalcorner	8426
					8426K
				trough	8427
					8428
					8429
				troughelevated	8427Z
					8428Z
					8429Z
				partition walls	PPK 70
				covering frame	8420-11
Cable trunking	PK 110x70 D	IP 40	1J ⁹⁾		8420-12
					8420-13
				end	8451
				connecting	8452
				bending	8453
				branching	8454
				internalcorner	8455
				externalcorner	8456
				trough	8457
					8458
					8459
				troughelevated	8457Z
					8458Z
					8459Z
				trough	PKUS 60
				apparatus pad	8450-11
					8450-12
					8450-13



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

Cable trunking	PK 140x70	IP 40	1J ⁹⁾	end	8431
				connecting	8432K
				bending	8433K
				branching	8433KT
				internalcorner	8435K
				externalcorner	8436K
				trough	8437
					8438
					8439
				troughelevated	8437Z
					8438Z
					8439Z
				partition walls	PPK 70
				covering frame	8420-11
					8420-12
					8420-13
Cable trunking	PK 140x70 D	IP 40	1J ⁹⁾	end	8461
				connecting	8462
				bending	8463
				branching	8464
				internalcorner	8465
				externalcorner	8466
				trough	8467
					8468
					8469
				troughelevated	8467Z
					8468Z
					8469Z
				apparatus pad	8440-11
					8440-12
					8440-13
					8440-11/1
					8440-12/1
					8440-13/1
Cable trunking	PK 170x70	IP 40	1J ⁹⁾	end	8411
				connecting	8412
				bending	8413
				branching	8414
				internalcorner	8415
				externalcorner	8416
				trough	8417
					8418
					8419
				troughelevated	8417Z
					8418Z
					8419Z
				apparatus pad	8440-11
					8440-12
					8440-13
					8440-11/1



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

					8440-12/1
					8440-13/1
Cable trunking	PK 170x70 D	IP 40	1J ⁹⁾	end	8441
				connecting	8442
				bending	8443
				branching	8444
				internalcorner	8445
				externalcorner	8446
				trough	8447
					8448
					8449
				troughelevated	8447Z
					8448Z
					8449Z
					8440-11
					8440-12
				apparatus pad	8440-13
Cable trunking	PK 160x65 D	IP 40	1J ⁹⁾	end	8481
				connecting	8482
				bending	8483
				branching	8484
				internalcorner	8485
				externalcorner	8486
				trough	8487
					8488
					8489
				troughelevated	8487Z
					8488Z
					8489Z
				cover of parapet. trunking	VPK 45
Cable trunking	PK 90x55 D	IP 40	1J ⁹⁾	end	8401
				connecting	8402
				bending	8403
				branching	8404
				internalcorner	8405
				externalcorner	8406
				trough	8407
					8408
					8409
				troughelevated	8407Z
					8408Z
					8409Z
				branching transition	8404/160
					8404/210
Cable trunking	PK 120x55 D	IP 40	1J ⁹⁾	end	8471
				connecting	8472
				bending	8473
				branching	8474



KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

				internalcorner	8475
				externalcorner	8476
				trough	8477
					8478
					8479
				troughelevated	8477Z
					8478Z
					8479Z
Cable trunking	PK 200x70 D	IP 40	1J ⁹⁾	end	8491
				connecting	8492
	PK 210x70 D	IP 40	1J ⁹⁾	bending	8493
				branching	8494
				internalcorner	8495
				externalcorner	8496
				trough	8497
					8498
					8499
				troughelevated	8497Z
					8498Z
					8499Z
				branching transition	8404/160
					8404/210
					8450-11
					8450-12
				apparatus pad	8450-13
Cable trunking	PK 110X65 D	IP 40	1J ⁹⁾	end	8211
				connecting	8212
				bending	8213
				branching	8214
				internalcorner	8215
				externalcorner	8216
				trough	8217
Cable trunking	PK 130X65 D	IP 40	1J ⁹⁾	end	8221
				connecting	8222
				bending	8223
				branching	8224
				internalcorner	8225
				externalcorner	8226
				trough	8227
Cable trunking	PK 170X65 D	IP 40	1J ⁹⁾	end	8231
				connecting	8232
				bending	8233
				branching	8234
				internalcorner	8235
				externalcorner	8236
				trough	8237



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

Profile PVC 100x100

Cable trunking	LO 35	IP 40	Bílá 0,5J ¹⁾ Šedá 2J	end	8831
				connecting	8832
				bending	8833
				branching	8834
				branching transition	8835
				internalcorner	8836
				bending radius	8833R
				branching radius	8834R
				branching transition radius	8835R
				internalcorner radius	8836R
				trough	8837
					8838
					8839
				troughelevated	8837Z
					8838Z
					8839Z

Cable trunking	LO 50	IP 40	Bílá 0,5J ¹⁾ Šedá 2J	end	8841
				connecting	8842
				bending	8843
				branching	8844
				branching transition	8845
				internalcorner	8846
				bending radius	8843R
				branching radius	8844R
				branching transition radius	8845R
				internalcorner radius	8846R
				trough	8847
					8848
					8849
				troughelevated	8847Z
					8848Z
					8849Z

Cable trunking	LO 70	IP 40	Bílá 0,5J ¹⁾ Šedá 2J	end	8881
				connecting	8882
				bending	8883
				branching	8884
				internalcorner	8885
				externalcorner	8886
				bending radius	8883R
				branching radius	8884R
				branching transition radius	8885R

internalcorner radius 8886R
trough 8887
8888
8889
troughelevated 8887Z
8888Z
8889Z

Cable trunking	LO 75	IP 40	Bílá 0,5J ¹⁾ Šedá 2J	end 8871 connecting 8872 bending 8873 branching 8874 internalcorner 8875 externalcorner 8876 bending radius 8873R branching radius 8874R branching transition radius 8875R internalcorner radius 8876R trough 8877 8878 8879 troughelevated 8877Z 8878Z 8879Z
----------------	-------	-------	------------------------------------	--

Cable trunking	LP 35	IP 40	2J ¹⁰⁾	end 8861 endleft 8861L endright 8861 P connecting 8862 bending 8863 branching 8864 branching transition 8864/1 internalcorner 8865 externalcorner 8866 bending radius 8863R branching radius 8864R branching transition radius 8864/1R internalcorner radius 8865R externalcorner radius 8866R trough 8867 8868 8869 troughelevated 8867Z 8868Z 8869Z
----------------	-------	-------	-------------------	--

Cable trunking	LP 35/I	IP 10	2J ¹⁰⁾
----------------	---------	-------	-------------------

Cable trunking	LP 80x25	IP 40	2J ¹⁰⁾	end 8821L
	LPK 80x25	IP 40	2J ¹⁰⁾	8821P
	LPK 80X25/IB	IP 40	2J ¹⁰⁾	connecting 8822



KOPOS KOLÍN a.s.

Havlíčková 432

CZ – 280 02 Kolín

	LPK 80X25/ID	IP 40	2J ¹⁰⁾	bending	8823/13 L 8823/13 P
				branching	8824
				internalcorner	8825
				externalcorner	8826
				bending radius	8823/13LR 8823/13PR
				branching radius	8824R
				internalcorner radius	8825R
				externalcorner radius	8826R
				trough	8827 8828 8829
				troughelevated	8827Z 8828Z 8829Z
				branching transition	8824/12 8824/40 8824/41 8824/43 8824/44
Cable trunking	LR 30	IP 40	2J ¹⁰⁾	end	8851
				connecting	8852
				bending	8853
				branching	8854
				branching transition	8854/1
				internalcorner	8855
				internalcorner	8855/3
				externalcorner	8856
				branching radius	8853R
				branching radius	8854R
				branching transition	
				radius	8854/1R
				internalcorner radius	8855/3R 8855R
				externalcorner radius	8856R
				trough	8857 8858 8859
				troughelevated	8857Z 8858Z 8859Z
Cable trunking	L 20	IP 40	2J ¹¹⁾	end	L20 KO
				connecting	L20 SP
				bending	L20 OH
				branching	L20 OD
				internalcorner	L20 RO
Cable trunking	L 27	IP 10	2J ¹¹⁾		




KOPOS KOLÍN a.s.
Havlíčková 432
CZ – 280 02 Kolín

Cable trunking	L 40	IP 40	2J ¹¹	end	L40 KO
				connecting	L40 SP
				bending	L40 OH
				branching	L40 OD
				internalcorner	L40 RO
Cable trunking	L 70	IP 40	2J ¹¹	end	L70 KO
				connecting	L70 SP
				bending	L70 OH
				branching	L70 OD
				internalcorner	L70 RO

Accessories

Screening trunking	SK 40x20	
Screening trunking	SK 40x33	
Clamp	PSK 1	
Connecting wire	PLSK	
Wall	PEP 60	
Screening wall	PEP 60/K 70/60	
Screening wall	PKS 70/60	
	VLK 80/R	IP 40
Cover	VLK 80/2R	IP 40
	VLK 80/T	IP 40

Note IP protection: strips and channels tested with relevant accessories


KOPOS KOLÍN a.s. 
Havlíčková 432, 280 02 Kolín
IČ: 616 72 971 DIČ: CZ61672971
tel: 321 730 111 www.kopos.cz

