

RAYCHEM | RAYCHEM MWTM

TE Internal #: 725096-000 Power Cable Tubing & Accessories, AMERICAS / EMEA / ASIA, Heat Shrink, Heat Shrink Tubing, Non-Flame-Retardant, Yes, RAYCHEM MWTM

View on TE.com >

Energy & Power > Power Cable Accessories > Power Cable Tubing & Accessories > Medium-Wall Heat Shrink Tubing



Power Cable Tube & Accessory Product Availability: AMERICAS, ANZPAC, ASIA, EMEA

Power Cable Tube & Accessory Technology: Heat Shrink

Power Cable Tube & Accessory Product Type: Heat Shrink Tubing

Power Cable Tube & Accessory Flammability: Non-Flame-Retardant

Adhesive Coating: Yes

All Medium-Wall Heat Shrink Tubing (300)

Features

Product Type Features

Coating Style

Inline



Material System	Crosslinked Polyolefin
Power Cable Tube & Accessory Technology	Heat Shrink
Power Cable Tube & Accessory Product Type	Heat Shrink Tubing
Adhesive Coating	Yes
Power Cable Tube & Accessory Shrink Ratio	> 3:1
Wall Style (Excluding Adhesive)	Single
Body Features	
Flexibility	Semi-Rigid
Color	Black
Dimensions	
Application Diameter (Max)	104 mm[4.094 in]
Application Diameter (Min)	37 mm[1.456 in]
Power Cable Tube & Accessory Expanded Inside Diameter (Min)	115 mm
Power Cable Tube & Accessory Recovered Inside Diameter (Max)	34 mm
Power Cable Tube & Accessory Cut Length	1000 mm

725096-000

Power Cable Tubing & Accessories, AMERICAS / EMEA / ASIA, Heat Shrink, Heat Shrink Tubing, Non-Flame-Retardant, Yes, RAYCHEM MWTM



Recovered Wall Thickness (Max)	3.1 mm
Wall Thickness	Medium
Jsage Conditions	
Power Cable Tube & Accessory Flammability	Non-Flame-Retardant
Operation/Application	
Non-Toxic & Non-Corrosive Emission	Yes
Low Smoke Emission	Yes
Emission Free	No
Thermal Resistance	Applicable for Low Temperatures, Applicable for High Temperatures, Flame- Retardant
Marine-Offshore-Shipbuilding Certified	Yes
Mechanical Resistance	Against Mechanical Impact or Damage
UV-Stabilized	Yes
Free of Lead, Cadmium, Heavy Metals	Yes
ndustry Standards	
Standards	IEC 60684-3-214, IEC 60684-3-246, IEC 60684-3-247, HD631.2
CSA Certified	No
UL Rating	No
Product Availability	
Power Cable Tube & Accessory Product Availability	AMERICAS, ANZPAC, ASIA, EMEA
Other	
Other Colors Available	No
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233)

725096-000

Power Cable Tubing & Accessories, AMERICAS / EMEA / ASIA, Heat Shrink, Heat Shrink Tubing, Non-Flame-Retardant, Yes, RAYCHEM MWTM



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts





WCSM-110/30-300/S(S10)

Also in the Series RAYCHEM MWTM





Customers Also Bought

725096-000

Power Cable Tubing & Accessories, AMERICAS / EMEA / ASIA, Heat Shrink, Heat Shrink Tubing, Non-Flame-Retardant, Yes, RAYCHEM MWTM







Documents

Product Drawings MWTM-115/34-1000/S(S5)

English

Datasheets & Catalog Pages HEAT SHRINK TUBING MWTM IEC

English

Product Environmental Compliance

Safety Datasheet

English

Safety Datasheet

German

Instruction Sheets Instruction Sheet (non U.S.)

English