



MASTER UltraEfficient LED bulb

MAS LEDBulbND4-60W E27 830 A60 FR G UE

This is the most efficient LED bulb from Philips brand. 210lm/W helps to concrete the company statement of sustainability. 50000 hour lifetime helps to extend the replacement cycle to reduce the waste. This is not only the high SPEC product, but also keep the light quality of Philips brand

Product data

General Information		Photobiological safety according to EN 62471	
Cap-Base	E27	RG1	
Nominal lifetime	50,000 hour(s)	Operating and Electrical	
Switching Cycle	50,000	Line Frequency	50 to 60 Hz
Lighting Technology	LED	Input Frequency	50 to 60 Hz
Flux measurement reference	Sphere	Power Consumption	4 W
Light Technical		Lamp Current (Nom)	43 mA
Color Code	830 [CCT of 3000K]	Wattage Equivalent	60 W
Beam Angle (Nom)	300 degree(s)	Starting Time (Nom)	0.5 s
Luminous Flux	840 lm	Warm-up time to 60% light	0.5 s
Color Designation	White (WH)	Power Factor (Fraction)	0.4
Correlated Color Temperature (Nom)	3000 K	Voltage (Nom)	220-240 V
Luminous Efficacy (rated) (Nom)	210 lm/W	Temperature	
Color Consistency	<6	T-Case Maximum (Nom)	70 °C
Color rendering index (CRI)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

MASTER UltraEfficient LED bulb

Controls and Dimming

Dimmable	No
----------	----

Mechanical and Housing

Bulb Finish	Frosted
Bulb Material	Glass
Bulb Shape	A60
Net Weight (Piece)	0.035 kg

Approval and Application

Energy Efficiency Class	A
Energy Consumption kWh/1000 h	4 kWh
EPREL Registration Number	1543857
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 to +45 °C


Application Conditions

can it be used in closed luminaires	No
-------------------------------------	----

Product Data


Order product name	MAS LEDBulbND4-60W E27 830 A60 FR G UE
Full product name	MAS LEDBulbND4-60W E27 830 A60 FR G UE
Full product code	872016925416900
Order code	929003703102
Material Nr. (12NC)	929003703102
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169254169
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169254176

Dimensional drawing




Product	D	C
MAS LEDBulbND4-60W E27 830 A60 FR G UE	60 mm	104 mm

Photometric data




Spectral Power Distribution Colour - MAS LEDBulbND4-60W E27 830 A60 FR G UE



Light Distribution Diagram - MAS LEDBulbND4-60W E27 830 A60 FR G UE

MASTER UltraEfficient LED bulb

Photometric data



General Parameters 43
Photometry 44
Page 10

General uniform lighting - MAS LEDBulbND4-60W E27 830 A60 FR G UE

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - MAS LEDBulbND4-60W E27 830 A60 FR G UE

