Rittal – The System.

Faster – better – everywhere.

Compact enclosures AE – AE 1038.500



ENCLOSURES

POWER DISTRIBUTION >> CLIMATE CONTROL

) IT INFRASTRUCTURE > SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Compact enclosures AE – AE 1038.500 created: 18.08.2021 on www.rittal.com/com-en



Discontinued article.

This item will be discontinued on: 30.09.2020 |||This item is being replaced by: 1038000

| Product description | |
|--|---|
| Material: | Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal |
| Surface finish: | Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated |
| Colour: | RAL 7035 |
| Protection category IP to IEC 60 529: | IP 66 |
| Protection category NEMA: | NEMA 4 |
| IK Code: | IK08 |
| Supply includes: | Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit |
| Basic material: | Sheet steel |
| Product description | |
| Dimensions: | Width: 380 mm Height: 600 mm Depth: 210 mm |

1

| Material thickness: | Enclosure: 1.38 mm Door: 1.5 mm Mounting plate: 2.5 mm |
|---|--|
| Mounting plate: | Width: 334 mm Height: 570 mm |
| Number of doors: | 1 |
| Door hinged on the right, may be swapped to the left: | yes |
| Lock version: | Cam |
| Number of locks: | 2 |
| Lock insert: | 3 mm double-bit |
| Gland plate, size: | 3 |
| Gland plate, qty.: | 1 |
| Packs of: | 1 pc(s). |
| Weight/pack: | 15.6 kg |
| EAN: | 4028177252035 |
| Customs tariff number: | 94032080 |
| ETIM 7.0: | EC000261 |
| ETIM 6.0: | EC000261 |
| eCl@ss 8.0/8.1: | 27180101 |
| eCl@ss 6.0/6.1: | 27180101 |
| Product description: | AE Compact enclosure, WHD: 380x600x210 mm, Sheet steel, with mounting plate, single-door, with two cam locks |

Approvals

Approvals:

Bureau Veritas DNV-GL Lloyds Register of Shipping RRR UL + C-UL **Certificates:**

Declarations: