## Rittal - The System.

Faster – better – everywhere.

## **► Compact enclosures AE – AE 1376.500**

Date: Aug 18, 2021



NCLOSURES >> POWER DISTRIBUTION >> CLIMATE CONTROL >> IT INFRASTRUCTURE >> SOFTWARE & SERVICES >>

## Compact enclosures AE – AE 1376.500 created: 18.08.2021 on www.rittal.com/com-en



## Discontinued article.

This item will be discontinued on: 30.09.2020 |||This item is being replaced by: 1376000

Width: 600 mm Height: 760 mm Depth: 350 mm

Product description	n
Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4
IK Code:	IK08
Supply includes:	Enclosure with hinged door(s), of all-round solid construction Gland plate(s) in enclosure base Mounting plate Lock: 3 mm double-bit
Basic material:	Sheet steel
Product description	n

© Rittal 2021

**Dimensions:** 

Material thickness: Enclosure: 1.5 mm Door: 2 mm Mounting plate: 3 mm Mounting plate: Width: 549 mm Height: 730 mm Number of doors: 1 Door hinged on the yes right, may be swapped to the left: Lock version: Cam 2 Number of locks: Lock insert: 3 mm double-bit 5 Gland plate, size: Gland plate, qty.: 1 Packs of: 1 pc(s). Weight/pack: 36 kg EAN: 4028177252509 **Customs tariff** 94032080 number: ETIM 7.0: EC000261 ETIM 6.0: EC000261 eCl@ss 8.0/8.1: 27180101 eCl@ss 6.0/6.1: 27180101 **Product description:** AE Compact enclosure, WHD: 600x760x350 mm, Sheet steel, with mounting plate, single-door, with two cam locks **Approvals** 

Approvals: Bureau Veritas

DNV-GL

Lloyds Register of Shipping

RRR UL + C-UL

© Rittal 2021 2

Certificates:	Certificate of manufacturer according to RMRS IK-Code NA Protection category
Declarations:	Declaration of conformity

© Rittal 2021 3