# Rittal - The System.

Faster – better – everywhere.

# Compact enclosures AE Stainless steel – AE 1015.600

Date : Aug 18, 2021



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

# **Compact enclosures AE Stainless steel – AE 1015.600**

created: 18.08.2021 on www.rittal.com/com-en



### **Product description**

Material: Enclosure: Stainless steel

Door: Stainless steel, all-round foamed-in PU seal

Mounting plate: Sheet steel Stainless steel 1.4301 (AISI 304) Lock insert: Die-cast zinc, nickel-plated

Surface finish: Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 µm

Mounting plate: Zinc-plated

Protection category IP to IEC 60 529:

IP 66

Protection category NEMA:

NEMA 4X

IK Code:

**IK08** 

Supply includes:

Enclosure with door(s)
Mounting plate

Lock: 3 mm double-bit

Basic material:

Stainless steel

## **Product description**

**Dimensions:** Width: 400 mm

Height: 500 mm Depth: 210 mm

Mounting plate:

© Rittal 2021

Width: 354 mm Height: 475 mm

1

Number of doors:	1
Lock version:	Cam
Number of locks:	2
Lock insert:	3 mm double-bit
Packs of:	1 pc(s).
Weight/pack:	12.9 kg
EAN:	4028177583917
Customs tariff number:	94032080
ETIM 7.0:	EC000261
ETIM 6.0:	EC000261
e CI@ss 8.0/8.1:	27180101
e CI@ss 6.0/6.1:	27180101
Product description:	AE Compact enclosure, WHD: 400x500x210 mm, Stainless steel 1.4301, with mounting plate, single-door, with two cam locks
Approvals	
Approvals:	DNV-GL Lloyds Register of Shipping RRR UL + C-UL
Certificates:	IK-Code NA Protection category
Declarations:	Declaration of conformity

© Rittal 2021 2