

Rittal – The System.

Faster – better – everywhere.

Outlet filter Standard – SK 3239.200

Date : Aug 18, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Outlet filter Standard – SK 3239.200

created: 18.08.2021 on www.rittal.com/com-en



Product description

Description:	For ventilation by convection, an outlet filter can be installed in the upper and lower sections of the enclosure.
Material:	ABS
Protection category IP to IEC 60 529:	IP 54 including filter mat IP 55 with standard filter and additional fine filter IP 56 with standard filter and hose-proof hood
Protection category NEMA:	NEMA 12
Supply includes:	Outlet filter Filter mat

Product description

Dimensions:	Width: 204 mm Height: 204 mm Depth: 24 mm
Required mounting cut-out:	Width: 177 mm Height: 177 mm
Colour:	RAL 7035
eCl@ss 8.0/8.1:	27180706
Packs of:	1 pc(s).

Weight/pack:	0.38 kg
EAN:	4028177651852
Customs tariff number:	39269097
ETIM 7.0:	EC002513
ETIM 6.0:	EC002513
eCl@ss 8.0/8.1:	27180706
eCl@ss 6.0/6.1:	27180706
Product description:	SK outlet filter, Standard, WHD: 204 x 204 x 24 mm
Approvals	
Approvals:	CSA UL + C-UL - FTTA UR + C-UR
Certificates:	EAC