Rittal – The System.

Faster – better – everywhere.


Hygienic Design Compact enclosure HD, single-door – HD 1302.600

Date : Aug 18, 2021



Hygienic Design Compact enclosure HD, single-door – HD 1302.600

created: 18.08.2021 on www.rittal.com/com-en



Design:	Roof angled forwards by 30°
Material:	Enclosure and door: Stainless steel 1.4301 (AISI 304) Mounting plate: Sheet steel Lock insert HD: Stainless steel 1.4404 (AISI 316L) Seal: Silicone, compliant with FDA Guideline 21 CFR 177.2600
Surface finish:	Enclosure and door: Brushed, grain 400, peak-to-valley height < 0.8 µm Mounting plate: Zinc-plated Seal: Blue, dyed (RAL 5010)
Protection category IP to IEC 60 529:	IP 66 IP X9
Protection category IP to DIN 40 050-9:	IP 69K
Protection category NEMA:	NEMA 13 NEMA 4X
IK Code:	IK08
Supply includes:	Enclosure of all-round solid construction Door with inserted seal Door hinged on the right, may be swapped to the left Mounting plate
Product modification:	From June 2020, the compact enclosure HD, single-door, comes with the new compact enclosure AX mounting plate.

© Rittal 2021

Width: 220 mm **Dimensions:**

> Height (front): 350 mm Height rear: 437 mm Depth: 155 mm

Mounting plate:

Width: 160 mm Height: 275 mm

Door opening angle:

125°

1

Number of cam locks:

Packs of:

1 pc(s).

Weight/pack:

6.6 kg

EAN:

4028177567597

Customs tariff

number:

94032080

ETIM 7.0:

EC000261

ETIM 6.0:

EC000261

eCl@ss 8.0/8.1:

27180101

eCl@ss 6.0/6.1:

27180101

Product description:

HD Compact enclosure, WHD: 220x350(H1)x437(H2)x155 mm, Stainless steel 1.4301,

with mounting plate, with hinged door and silicone seal

Approvals

Approvals:

UL + C-UL

Certificates:

Protection category

Declarations:

Declaration of conformity