

# Rittal – The System.

Faster – better – everywhere.

## Hose-proof hood to increase the protection category – SK 3243.080

Date : Aug 18, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Hose-proof hood to increase the protection category – SK 3243.080

created: 18.08.2021 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

|                     |                                                                                                                              |
|---------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Description:</b> | For fan-and-filter units/outlet filters. Easy cleaning thanks to exterior silicone coating approved for use with foodstuffs. |
|---------------------|------------------------------------------------------------------------------------------------------------------------------|

|                  |                             |
|------------------|-----------------------------|
| <b>Material:</b> | Stainless steel<br>Silicone |
|------------------|-----------------------------|

|                                                  |                                                                          |
|--------------------------------------------------|--------------------------------------------------------------------------|
| <b>Protection category<br/>IP to IEC 60 529:</b> | IP 56 when fitted over fan-and-filter unit/outlet filter with filter mat |
|--------------------------------------------------|--------------------------------------------------------------------------|

|                                      |                                                             |
|--------------------------------------|-------------------------------------------------------------|
| <b>Protection category<br/>NEMA:</b> | NEMA 1<br>NEMA 12<br>NEMA 3<br>NEMA 3R<br>NEMA 4<br>NEMA 4X |
|--------------------------------------|-------------------------------------------------------------|

|                          |                      |
|--------------------------|----------------------|
| <b>To fit Model No.:</b> | 3243....<br>3244.... |
|--------------------------|----------------------|

## Product description

|                    |                                                  |
|--------------------|--------------------------------------------------|
| <b>Dimensions:</b> | Width: 350 mm<br>Height: 480 mm<br>Depth: 110 mm |
|--------------------|--------------------------------------------------|

|                        |          |
|------------------------|----------|
| <b>eCl@ss 8.0/8.1:</b> | 27182405 |
|------------------------|----------|

|                  |          |
|------------------|----------|
| <b>Packs of:</b> | 1 pc(s). |
|------------------|----------|

|                     |        |
|---------------------|--------|
| <b>Weight/pack:</b> | 4.9 kg |
|---------------------|--------|

|                               |                                                                     |
|-------------------------------|---------------------------------------------------------------------|
| <b>EAN:</b>                   | 4028177652095                                                       |
| <b>Customs tariff number:</b> | 73269098                                                            |
| <b>ETIM 7.0:</b>              | EC000744                                                            |
| <b>ETIM 6.0:</b>              | EC000744                                                            |
| <b>eCl@ss 8.0/8.1:</b>        | 27182405                                                            |
| <b>eCl@ss 6.0/6.1:</b>        | 27189269                                                            |
| <b>Product description:</b>   | SK hose-proof hood, for SK 3243.../3244..., WHD: 350 x 480 x 110 mm |
| <b>Approvals</b>              |                                                                     |
| <b>Approvals:</b>             | CSA<br>UL + C-UL - FTTA<br>UR + C-UR                                |
| <b>Certificates:</b>          | EAC                                                                 |