

Rittal – The System.

Faster – better – everywhere.

Wall spacer bracket HD – HD 4000.100

Date : Aug 18, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wall spacer bracket HD – HD 4000.100

created: 18.08.2021 on www.rittal.com/com-en



Discontinued article.

Product description	
Benefits:	Creates space for cleaning behind the enclosure Shorter assembly times by eliminating the need for an all-round seal Improved hygiene by avoiding inaccessible dead spaces or gaps between the enclosure and wall
Function principle:	Mounting on the wall optionally from the enclosure interior via a through-hole (max. M8) or from the rear via an integral M10 thread
Material:	Stainless steel 1.4301 (AISI 304)
Supply includes:	Assembly parts and seals
Note:	Depending on the size of the enclosure, up to 4 wall spacer brackets are required to ensure sufficiently stable wall mounting
Basic material:	Stainless steel
Product description	
Wall distance:	50 mm
Packs of:	1 pc(s).
Weight/pack:	0.4 kg
EAN:	4028177565654

Customs tariff number:	73269098
ETIM 7.0:	EC002622
ETIM 6.0:	EC002622
eCl@ss 8.0/8.1:	27189263
eCl@ss 6.0/6.1:	27189263
Product description:	HD Wall spacer bracket, stainless steel, 1.4301, Wall distance 50 mm