

Rittal – The System.

Faster – better – everywhere.

Connection cable – SZ 2500.500

Date : Aug 18, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Connection cable – SZ 2500.500

created: 18.08.2021 on www.rittal.com/com-en



Product description

Design:	Infeed, 3-pole (with socket, without connector)
Description:	For time-saving and simple installation of the LED system light.
Colour:	Orange
Standards:	Power supply cords: AVLV2 Mains connector: ECBT2

Product description

Dimensions:	Length: 3000 mm
Rated operating voltage:	100 V - 240 V, 1~, 50 Hz/60 Hz
Cross-section:	AWG 16
Packs of:	1 pc(s).
Weight/pack:	0.36 kg
Copper weight (kg per piece):	0
EAN:	4028177811379
Customs tariff number:	85444290

ETIM 7.0:	EC001576
ETIM 6.0:	EC001576
eCl@ss 8.0/8.1:	27060402
eCl@ss 6.0/6.1:	27119116
Product description:	SZ Connection cable, for power supply, 3-pole, 100-240 V, L: 3000 mm, UL
Approvals	
Approvals:	UL + C-UL
Declarations:	Declaration of conformity Manufacturer's declaration