Rittal - The System.

Faster - better - everywhere.

Compact enclosure AX Basic enclosure AX, sheet steel – AX 1110.000

Date: Aug 18, 2021



Compact enclosure AX Basic enclosure AX, sheet steel – AX 1110.000

created: 18.08.2021 on www.rittal.com/com-en



Material:	Enclosure: Sheet steel Door: Sheet steel, all-round foamed-in PU seal
Surface finish:	Enclosure and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Colour:	RAL 7035
Protection category IP to IEC 60 529:	IP 55
Protection category NEMA:	NEMA 1, 12
Type rating to UL 50E:	Type 1, 12
IK Code:	IK10
Supply includes:	Enclosure with door(s) Gland plate(s) in enclosure base Mounting plate Perforated door strip Lock: 3 mm double-bit
Basic material:	Sheet steel

Width: 1000 mm Height: 1000 mm

© Rittal 2021

Dimensions:

1

Depth: 300 mm

Material thickness: Enclosure: 1.5 mm Door: 2 mm Mounting plate: 2.5 mm Mounting plate: Width: 945 mm Height: 975 mm 2 Number of doors: Door hinged on the yes right, may be swapped to the left: Number of cam locks: 2 Cam Lock version: Number of locks: 2 Lock insert: 3 mm double-bit 6 Gland plate, size: 2 Gland plate, qty.: Packs of: 1 pc(s). Weight/pack: 63 kg EAN: 4028177813212 **Customs tariff** 94032080 number: ETIM 7.0: EC000261 ETIM 6.0: EC000261 27180101 eCl@ss 8.0/8.1: 27180101 eCl@ss 6.0/6.1: **Product description:** AX Compact enclosure, WHD: 1000x1000x300 mm, sheet steel, with mounting plate, two-door, with two cam locks

Approvals

Approvals: Bureau Veritas

DNV-GL Lloyds Register of Shipping UL + C-UL

Certificates:	Certificate of manufacturer according to RMRS Protection category
Declarations:	Declaration of conformity

© Rittal 2021 3