

Rittal – The System.

Faster – better – everywhere.

Cable gland, polyamide – SZ 2411.651

Date : Aug 18, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Cable gland, polyamide – SZ 2411.651

created: 18.08.2021 on www.rittal.com/com-en



Product description

Benefits:	Because the gland and lock nut are sold together in a single pack, this saves additional ordering and storage. Clamping membranes for even tightening and strain relief to protect the cables
------------------	--

Material:	Polyamide 6 Seal: Neoprene
------------------	-------------------------------

Colour:	RAL 7035
----------------	----------

Protection category IP to IEC 60 529:	IP 68 (5 bar, 30 min)
--	-----------------------

Product description

Dimensions:	Height: 47.5 mm
--------------------	-----------------

Thread:	Type: M40 x 1.5
----------------	-----------------

Thread length:	10 mm
-----------------------	-------

Min. cable diameter:	19 mm
-----------------------------	-------

Max. cable diameter:	28 mm
-----------------------------	-------

Operating temperature:	Operation (environment): -30 °C...+100 °C
-----------------------------------	---

Width across flats:	46 mm
----------------------------	-------

Packs of:	5 pc(s).
------------------	----------

Weight/pack:	0.47 kg
Copper weight (kg per piece):	0
EAN:	4028177809956
Customs tariff number:	39269097
ETIM 7.0:	EC000441
ETIM 6.0:	EC000441
eCl@ss 8.0/8.1:	27149109
eCl@ss 6.0/6.1:	27149109
Product description:	SZ Cable gland, polyamide, size: M40x1,5, for cables ø 19-28 mm
Approvals	
Approvals:	CSA + CSAus UL + C-UL VDE
Certificates:	NA
Declarations:	Declaration of conformity