Rittal - The System.

Faster – better – everywhere.

Air baffle plate for VX IT 482.6 mm (19") mounting angles, standard – DK 5302.011

Date: Aug 18, 2021



Air baffle plate for VX IT 482.6 mm (19") mounting angles, standard – DK 5302.011

created: 18.08.2021 on www.rittal.com/com-en



Produ	ct desc	ription

Benefits: For selectively boosting the energy efficiency of a climate control system

Vertical brush strip for collision-free shielding with installed rail systems on the outer

mounting level.

Applications: To separate the hot/cold zones within an enclosure with aisle containment or when

using an LCP system.

Material: Sheet steel

Blanking panel: Plastic, UL 94-HB, halogen-free

Brush strip: Plastic, UL 94-HB

Surface finish: Spray-finished

Colour: RAL 9005

Assembly instruction: The vertical trim panels with brush strip may be fitted on both the front and rear 482.6

mm (19") mounting angles for partitioning.

The horizontal trim panels with brush strips can only be mounted on the front 482.6 mm

(19") mounting angles.

482.6 mm (19") mounting cut-outs integrated within the partitioning areas may optionally be sealed with the supplied blanking panels, or used to install additional components or for cable routing. Please see the product-specific scope of supply.

Supply includes: 2 vertical trim panels

2 horizontal trim panels

4 brush strips

4 cellular PU foam pieces

Assembly parts

4 blanking panels, 482.6 mm (19"), 1 U

Product description

© Rittal 2021

To fit:	Width: = 800 mm Height: = 1200 mm	
Packs of:	1 pc(s).	
Weight/pack:	5.32 kg	
Copper weight (kg per piece):	0	
EAN:	4028177955264	
Customs tariff number:	73269098	
ETIM 7.0:	EC000331	
ETIM 6.0:	EC000331	
eCl@ss 8.0/8.1:	27189272	
e CI@ss 6.0/6.1:	27182590	
Product description:	Air baffle plate, for VX IT 19" mounting angles, standard, to separate the hot/cold zones within an enclosure with aisle containment or when using an LCP system. WxH: 800x1200 mm, RAL 9005	

© Rittal 2021 2