Rittal – The System.

Faster – better – everywhere.

Air baffle plate for VX IT 482.6 mm (19") mounting angles, standard – DK 5302.016

Date : Aug 18, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

Air baffle plate for VX IT 482.6 mm (19") mounting angles, standard – DK 5302.016

created: 18.08.2021 on www.rittal.com/com-en



Product description

Benefits:	For selectively boosting the energy efficiency of a climate control system Vertical brush strip for collision-free shielding with installed rail systems on the outer mounting level.
Applications:	To separate the hot/cold zones within an enclosure with aisle containment or when using an LCP system.
Material:	Sheet steel Blanking panel: Plastic, UL 94-HB, halogen-free Brush strip: Plastic, UL 94-HB
Surface finish:	Spray-finished
Colour:	RAL 9005
Assembly instruction:	The vertical trim panels with brush strip may be fitted on both the front and rear 482.6 mm (19") mounting angles for partitioning. The horizontal trim panels with brush strips can only be mounted on the front 482.6 mm (19") mounting angles. 482.6 mm (19") mounting cut-outs integrated within the partitioning areas may optionally be sealed with the supplied blanking panels, or used to install additional components or for cable routing. Please see the product-specific scope of supply.
Supply includes:	2 vertical trim panels 2 horizontal trim panels 4 brush strips 4 cellular PU foam pieces Assembly parts

Product description

To fit:	Width: = 600 mm Height: = 2000 mm
Packs of:	1 pc(s).
Weight/pack:	2.66 kg
Copper weight (kg per piece):	0
EAN:	4028177955318
Customs tariff number:	94039010
ETIM 7.0:	EC000331
ETIM 6.0:	EC000331
eCl@ss 8.0/8.1:	27189272
eCl@ss 6.0/6.1:	27182590
Product description:	Air baffle plate, for VX IT 19" mounting angles, standard, to separate the hot/cold zones within an enclosure with aisle containment or when using an LCP system. WxH: 600x2000 mm, RAL 9005