Rittal – The System.

Faster – better – everywhere.

# Baying enclosure system VX25 Basic enclosure – VX 8606.000

Date : Aug 18, 2021

ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# Baying enclosure system VX25 Basic enclosure – VX 8606.000

created: 18.08.2021 on www.rittal.com/com-en



## Product description

| | |
|---|---|
| **Material:** | Enclosure frame: Sheet steel, 1.5 mm<br>Roof: Sheet steel, 1.5 mm<br>Door: Sheet steel, 2.0 mm<br>Rear panel: Sheet steel, 1.5 mm<br>Gland plates: Sheet steel, 1.5 mm<br>Mounting plate: Sheet steel, 3.0 mm |
| **Surface finish:** | Enclosure frame: Dipcoat-primed<br>Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint<br>Mounting plate and gland plates: Zinc-plated |
| **Colour:** | RAL 7035 |
| **Protection category IP to IEC 60 529:** | IP 55 |
| **Protection category NEMA:** | NEMA 1, 12 |
| **Type rating to UL 50E:** | Type 1, 12 |
| **IK Code:** | IK10 |
| **Supply includes:** | Enclosure frame<br>Door(s)<br>Door hinged on the right, may be swapped to the left<br>Roof plate<br>Rear panel<br>Gland plates<br>Mounting plate<br>2 punched rails 18 x 39 mm<br>Lock: 3 mm double-bit |

| | |
|---|---|
| **Basic material:** | Sheet steel |

## Product description

| | |
|---|---|
| **Dimensions:** | Width: 600 mm<br>Height: 2000 mm<br>Depth: 600 mm |
| **Mounting plate:** | Width: 499 mm<br>Height: 1896 mm |
| **Number of doors:** | 1 |
| **Packs of:** | 1 pc(s). |
| **Weight/pack:** | 101 kg |
| **EAN:** | 4028177813731 |
| **Customs tariff number:** | 94032080 |
| **ETIM 7.0:** | EC000261 |
| **ETIM 6.0:** | EC000261 |
| **eCl@ss 8.0/8.1:** | 27180101 |
| **eCl@ss 6.0/6.1:** | 27180101 |
| **Product description:** | VX Baying enclosure system, WHD: 600x2000x600 mm, sheet steel, with mounting plate, single door at the front |

## Approvals

| | |
|---|---|
| **Approvals:** | Bureau Veritas<br>CCC exception letter<br>DNV-GL<br>Lloyds Register of Shipping<br>UL + C-UL |
| **Certificates:** | Certificate of manufacturer according to RMRS<br>NA<br>Protection category |
| **Declarations:** | Declaration of conformity |