

Rittal – The System.

Faster – better – everywhere.

Section for cable entry, centre for VX, VX SE – VX 8618.803

Date : Aug 18, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Section for cable entry, centre for VX, VX SE – VX 8618.803

created: 18.08.2021 on www.rittal.com/com-en



Product description

Benefits:	Simple assembly Full-surface support High level of sealing of cables inserted into the enclosure
Applications:	For top-mounting on gland plates.
Material:	Hard PVC Flame-resistant, self-extinguishing Temperature resistant to +60 °C Seal: PU foam Cross-section: 30 x 25 mm
Protection category IP to IEC 60 529:	IP 55 if installed correctly
Supply includes:	Plug-in sections, incl. foam rubber clamp strip
Product modification:	From February 2021, the cable entry section will have a plastic extrusion. The benefits are as follows: Simple clip-on assembly, improved handling and a superior grip on the gland plates.
Note:	You will need two pieces per cable entry point. From an enclosure width of 1000 mm, the base assembly is divided into two sections in the width. Two cable entry points (left/right) may be used.

Product description

To fit:	Enclosure type: VX Enclosure type: VX SE Width: = 1200 mm
----------------	---

Packs of:	4 pc(s).
Weight/pack:	0.43 kg
Copper weight (kg per piece):	0
EAN:	4028177922778
Customs tariff number:	76042990
ETIM 7.0:	EC000211
ETIM 6.0:	EC000211
eCl@ss 8.0/8.1:	27142421
eCl@ss 6.0/6.1:	27400604
Product description:	VX Section for cable entry, centre, for W: 1200 mm