

# MATERIAL SAFETY DATA SHEET accordingly to Regulation (EC) No.1907/2006

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Etelec S.p.a. Via D. De Roberto, 44 80143 Naples – Italy Tel. +39 081 5846610 Fax +39 081 2587166

**Product Name:** 

**SHARK** (see pag. 4 for full range commercial name)

Product Use:

Gel insulated low voltage joints

#### SECTION 2 – HAZARDOUS IDENTIFICATION

**EMERGENCY OVERVIEW:** Not classified as hazardous material in accordance with Directive 67/548/CEE or 1999/45/CE There are not special instructions for hazard to endanger human health and the environment

#### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Identification of the substance:

- **Inside** insulating gel: Polydimethylsiloxane with functional groups

- **External shell:** Ultra-high impact polypropylene copolymer self extinguishing V2

## **SECTION 4 – FIRST AID MEASURES**

- **Eye Contact:** There are not risks for the health due to the contact with the product. Rinse with water and soap.
- **Skin Contact:** There are not risks for the health due to the contact with the product. Remove the product and rinse with water and soap.
- Inhalation: Harmless.
- Ingestion: Ingestion is not an expected route of entry in industrial or commercial uses. In case of ingestion wash mouth thoroughly and get prompt medical attention .





## **SECTION 5 – FIRE FIGHTING MEASURES**

Extinguishing Media :

All extinguishing methods are good.

Further information:

Use standard firefighting equipment and consider the hazards of the other involved materials.

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

## Accidental release release is not expected

## **SECTION 7 – HANDLING AND STORAGE**

Handling: No specific handling precautions.

Storage: No specific handling precautions.

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineerinc controls:	No specific recommendations made.
Respiratory protection:	No specific recommendations made.
Skin protection:	No specific recommendations made.
Eye protection:	No specific recommendations made.

**HYGIENIC PRACTICES:** Wash hands thoroughly before eating, smoking or using the toilet facility. Do not smoke in any chemical handling or storage area.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

### Inside insulating gel:

Appearance	Blue
Physical State	gel
Odour	None
Flash Point (DIN 51376)	>200 ℃
Ignition point (DIN 51794)	>450 ℃
Density	0,97 g/cm <sup>3</sup>





#### External shell:

Appearance	Blue
Physical State	solid
Odour	None
Flammability at 1,6 mm nominal tickness	V2 class
Flammability by oxigen index :	25 %
Density	0,95 g/cm <sup>3</sup>

## SECTION 10 – STABILITY AND REACTIVITY

No decomposition if stored and used as indicated.

#### SECTION 11 – TOXICOLOGICAL PROPERTIES

The product can be used without danger for human health.

#### SECTION 12 – ECOLOGICAL INFORMATION

Not regarded as dangerous to the environment .

#### **SECTION 13 – DISPOSAL CONSIDERATIONS**

Disposal methods: No specific recommendations. Follow local authority guidelines .

## **SECTION 14 – TRANSPORTATION INFORMATION**

DOT Shipping Name	Not classified
DOT Hazard Class	Not classified

This product is not classified as hazardous.

### **SECTION 15 – LABELLING**

Accordingly to Directive CE 1999/45/CE





#### **SECTION 16 – OTHER INFORMATION**

# The product is intended for use by skilled or experienced personnel for the intended application as recommended by us.

The information contained herein is based on data available to us and is believed to be correct. Since this information may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and the Buyer may rely thereon only at the buyer's risk. We make no guarantee that the health and safety precautions we have suggested will be adequate for all individuals and/or situations involving its handling and use.

## Full range commercial names :

- SHARK 125
- SHARK 150
- SHARK 406
- SHARK 410
- SHARK 416
- SHARK 425
- SHARK 435
- SHARK 506
- SHARK 516
- SHARK 150Y
- SHARK 516 Y
- SHARK 535 Y
- SHARK 325
- SHARK 306

