## theLeda S10 W WH

Item no.: 1020931



# LED spotlights theLeda S

#### Description

- LED spotlight with motion detector
- 1 LED spot with 10 W (equivalent to 140 W Halogen spotlight)
- Spotlight can be swivelled ± 40° horizontally, and adjusted 70° downwards, wall-wash functionality by swivelling 180°
- Suitable for outdoor use
- Automatic lighting control based on presence and brightness
- 180° detection angle at a detection range of 10 m
- Area limit via lens attachment
- Orientation light with configurable dimming level
- Short and extended function via manual control system
- Integrated heat sink in housing color
- Direct-LED for maximum light output
- High-tech matrix-LED module
- Single-handed plug-in installation
- Instant start-up possible via factory preset
- Adjustable lux value and switch-off delay
- Settings can be changed without tools



#### Technical data

	theLeda S10 W WH	
Operating voltage	230 V AC	
Frequency	50 – 60 Hz	
Stand-by consumption	~0.4 W	
Colour	White	
Installation type	Wall installation	
Setting range brightness	5 – 200 lx	
LED output (lighting current)	770 lm	
Colour temperature	3000 K, warmwhite	


theLeda S10 W WH	
180°	
1.8 - 2.5 m	
2 s-30 min	
-20°C 45°C	
I	
IP 55	

# theLeda S10 W WH

Item no.: 1020931





### Connection example



### Detection range for planning applications

Mounting height (A)	Diagonally (t)	Head on to (R)
2.5 m	10 m	3.5 m







# theLeda S10 W WH

Item no.: 1020931



### Scale drawings





#### Accessories

Corner angle 10 WH Item no.: 9070969



**Spacer 10 WH** Item no.: 9070971

