

ENSTO

Elektrinis konvekcinis šildyt.

BETA15-BT-EP



Tipas	BETA15-BT-EP
GTIN	6438100339449
Pavadinimas	Elektrinis konvekcinis šildyt. Beta Beta convector 1500W/230V with electronic thermostat and connection plug for fixed installation. White color, RAL9010. IP21. 389x1121mm.
Aprašymas	Ecodesign-compatible convector with accurate electronic thermostat, which can be controlled from the thermostat or with downloadable Bluetooth-application (Android and iOS). Features for temperature control are calendar, boost, and vacation. Energy consumption can easily be monitored from the app. Thermostat has a wireless slave-heater feature with a maximum of 10 convectors.
Gamintojas	Ensto Building Systems Finland Oy

Techninė specifikacija

Dimensions

Matmenys i x p x a:	56 x 1120 x 390 mm
Ilgis:	56 mm
Plotis:	1120 mm
Aukštis:	390 mm
Net Weight:	6,01 kg

Electrical values

Galia:	1500 W
Nominali įtampa:	230 ... 230 V
Darbinis dažnis:	50 Hz

Ratings

Apsaugos klasė:	IP21
Protection class:	II

Others

ETIM Class:	EC000523
Spalva:	Balta
Termostatas:	EPHE5-BT

ETIM Techninė specifikacija

etim

Model:	Other
Mounting method:	Wall model
Air exhaust:	Front side
With fan:	No
Position control panel:	Side
Temperature adjustment:	5 ... 30 °C
Colour:	White
Width:	1120 mm
Height:	390 mm
Depth:	56 mm
Weight:	6,01 kg
Degree of protection (IP):	IP21
Protection class:	II
Overheating protection:	Yes
Frost protection circuit:	Yes
Digital indication:	No
With presence indicator:	No
Suitable for bus connection:	No
With timer:	Yes
Adaptive (self-learning):	Yes
Consumption indication:	Yes
Open window detection:	No
Operation by app:	Yes

Packaging

Pallet package

Unit:	pcs
Package size:	20
Depth:	1200 mm
Width:	800 mm
Height:	1090 mm

Default package

Unit:	PCE
-------	-----

Package size:	1
Depth:	1149 mm
Width:	404 mm
Height:	94 mm
Weight:	6,849 kg
Volume:	43,634424 l