

ENSTO

Elektrinis konvekcinis šildyt.

BETA20-BT-EB-IP24



Tipas	BETA20-BT-EB-IP24
GTIN	6438100362850
Pavadinimas	Elektrinis konvekcinis šildyt. Beta Beta convector 2000W/230V with electronic thermostat and connection box for fixed installation. White color, RAL9010. IP24. 389x1523mm.
Aprašymas	Ecodesign-compatible convector with accurate electronic thermostat, which can be controlled from the thermostat or with downloadable Bluetooth-application (Android and iOS). Features for temperature control are calendar, boost, and vacation. Energy consumption can easily be monitored from the app. Thermostat has an intelligent temperature change feature that can be activated with external voltage and wireless slave-heater feature with a maximum of 10 convectors.
Gamintojas	Ensto Building Systems Finland Oy

Techninė specifikacija

Dimensions

Matmenys i x p x a:	56 x 1520 x 390 mm
Ilgis:	56 mm
Plotis:	1520 mm
Aukštis:	390 mm
Net Weight:	9,143 kg

Electrical values

Galia:	2000 W
Nominali įtampa:	230 ... 230 V
Darbinis dažnis:	50 Hz

Ratings

Apsaugos klasė:	IP24
Protection class:	II

Others

ETIM Class:	EC000523
Spalva:	Balta
Termostatas:	EPHE5-BT

ETIM Techninė specifikacija

etim

Model:	Other
Mounting method:	Wall model
Air exhaust:	Front side
With fan:	No
Position control panel:	Side
Temperature adjustment:	5 ... 30 °C
Colour:	White
Width:	1520 mm
Height:	390 mm
Depth:	56 mm
Weight:	9,143 kg
Degree of protection (IP):	IP24
Protection class:	II
Overheating protection:	Yes
Frost protection circuit:	Yes
Digital indication:	No
With presence indicator:	No
Suitable for bus connection:	No
With timer:	Yes
Adaptive (self-learning):	Yes
Consumption indication:	Yes
Open window detection:	No
Operation by app:	Yes

Packaging

Pallet package

Unit:	pcs
Package size:	26
Depth:	1200 mm
Width:	1770 mm

Default package

Unit:	PCE
-------	-----

Package size:	1
Depth:	1548 mm
Width:	404 mm
Height:	94 mm
Weight:	10,209 kg
Volume:	58,786848 l